

CONCRETE TROUGHS

Trusted by Champions



who we are

Built for farmers. Trusted by livestock.

From sheep and cattle to horses, poultry and pets—ClearWater's range of reinforced concrete troughs is crafted with one goal: to deliver clean, reliable, and low-maintenance watering solutions that stand the test of time.

Each of our concrete stock troughs is meticulously designed to ensure durability, ease of use, and superior water quality, making them the ideal choice for farms and feedlots across Eastern Australia.

Built for the Paddock, Backed by Professionals

From Manildra, NSW to properties across Australia, ClearWater Tanks is a name trusted in the yards, feedlots, and pastures of real working farms. Our products are designed with livestock health, ease of cleaning, and longevity at the forefront—and every unit is built by a team that understands agriculture firsthand.

We don't build products to compete with plastic—we build them to outlast it. Every trough we pour is made to stand up to the harshest paddocks, the heaviest cattle, and the test of time. We're not just selling concrete—we're backing Australian farmers with gear that won't let them down



our range



SHEEP & CATTLE

- Versatile 4ft, 8ft, and 16ft options
- · Sheep & Cattle combo designs available
- King Cattle models for deeper, high-volume storage

FEEDLOTS

- Reinforced troughs with stabilising pads
- Easy-clean design reduces water loss
- Feed troughs now feature tapered sides to maximise consumption






HORSE, PET AND POULTRY


- Round horse troughs with safe access and generous depth
- Small troughs perfect for poultry pens, goats, dogs and yard animals



Cement Hob



Float Valve Chamber with 2" Inlet



Dished Floor

Trough Features & Custom Options

Standard Features

- √ 40MPa reinforced concrete
- 2" inlet + concrete lid
- **Enclosed float valve chamber**
- Cement hob protection
- Recessed drain + 4" outlet

Optional Add-ons

- O High or low-pressure float valves
- M&F ball valves or Max-Flo float systems
- Precast concrete trough pads
- O Delivery & paddock drop-off (location-based)
- Fenceline rails for feed troughs



4FT WATER TROUGHS

MODEL	ТҮРЕ	CAPACITY LITRES	LENGTH MM	WIDTH MM	HEIGHT MM	WEIGHT KG	INLET INCH
CLEAR4S	Sheep	240	2000	600	380	640	2"
CLEAR4SC	Sheep & Cattle	400	2000	750	460	780	2"











CLEAR8SC



CLEARFLS8

8FT WATER TROUGHS								
MODEL	TYPE	CAPACITY LITRES	LENGTH MM	WIDTH MM	HEIGHT MM	WEIGHT KG	INLET INCH	
CLEARFLS8	Feedlot	120	3200	1500	300	1175	2"	
CLEAR8SS	Sheep + Stabilising Pad	420	3200	1500	380	1400	2"	
CLEAR8S	Sheep	420	3200	600	380	900	2"	
CLEAR8SS	Sheep & Cattle	620	3200	750	460	1100	2"	
CLEARFLS8	King Cattle	820	3200	750	580	1350	2"	







CLEAR16SC

16FT WATER TROUGHS								
MODEL	ТҮРЕ	CAPACITY LITRES	LENGTH MM	WIDTH MM	HEIGHT MM	WEIGHT KG	INLET INCH	
CLEAR16S	Sheep	700	5600	600	380	1420	2"	
CLEAR16SC	Sheep & Cattle	1100	5600	750	460	1800	2"	
CLEAR16DSC	Double Sheep & Cattle	1050	5450	710	430	1600	2"	

HORSE, PET & POULTRY WATER TROUGHS

MODEL	ТҮРЕ	CAPACITY LITRES	LENGTH MM	WIDTH MM	HEIGHT MM	WEIGHT KG	INLET INCH
CLEARPP	Pet & Poultry	40	800	400	250	110	1"
CLEARH	Horse	500	1400	1150	800	900	2"





CLEARPAD | 3M PRECAST TROUGH PAD



- Reinforced concrete precast trough pad
- Supports troughs up to 8ft long or X2 for 16ft troughs
- Cast-in threaded inserts provide lifting point and bracket anchor X4
- Easy to install
- · Prevents erosion
- Young stock to reach water easily
- Great for soft soil and high traffic areas

feed bunks

FEED BUNKS									
MODEL	TYPE	LENGTH MM	WIDTH MM	HEIGHT (BACK) MM	HEIGHT (FRONT) MM	WEIGHT KG			
CLEARFLBS8	Sheep Feed	3000	490	500	340	750			
CLEARFLBS8	Sheep Feed w/ Fenceline Rails	3000	490						
CLEARFLBC8	Cattle Feed	3000	800	700	500	1300			

We've built every product with the mindset of a working farmer, not just a manufacturer. That's why ClearWater troughs are deeper, cooler, stronger—and why they outlast plastic, year after year.."









CLEARWATERTANKS.COM.AU INFO@CLEARWATERTANKS.NET.AU 1800 647 756

